

### **AMENDMENTS TO THE CLAIMS**

The following listing of claims will replace all prior versions and listings of claims in the application:

**1. (currently amended)** A method for tracking messages delivered via a short message service (SMS) comprising the steps of:

receiving, at a gateway, a message destined for a mobile device;

assigning a unique identifier to the received message;

recording the received message and the unique identifier to a record in a database accessible to the gateway;

forwarding the received message from the gateway to the mobile device, wherein the forwarded message sent from the gateway to the mobile device includes an origination address, the origination address being derived from the unique identifier;

receiving, at the gateway, a reply to the message from the mobile device;

correlating the reply to the sent message by means of the unique identifier;

recording the correlated reply in the database record storing the sent message; and

allowing either of a sender or a recipient of the message to log in to the gateway to retrieve the database record to access and

view each of the received message and the reply recorded in the  
database.

**2. (previously presented)** The method of claim 1, wherein the forwarding step includes the step of sending the message to a short message service center (SMSC).

**3. (previously presented)** The method of claim 1 wherein the sender of the message received at the gateway communicates with the gateway via the Internet

**4. (previously presented)** The method of claim 1, wherein the gateway is an Internet Gateway identified by a domain name, the domain name being included in the origination address of the message sent from the gateway to the mobile device.

**5. (previously presented)** The method of claim 1, wherein the origination address of the message sent from the gateway to the mobile device includes the unique identifier.


**6. (canceled)**

**7. (currently amended)** The method of claim [[6]] 1, wherein the destination address of the reply sent to the gateway is the origination address of the forwarded message.

**8. (canceled)**

**9. (currently amended)** The method of claim [[6]] 1, wherein the message and reply are accessed using a web browser.

**10. (previously presented)** A system for recording a message sent from a first communication device connected to a first network to a second communication device connected to a second network, the system comprising:

{W:\03356\000K043000\00762795.DOC  }

a database and a gateway, the database connected to the gateway and the gateway connected to the first and second network, the gateway including a microprocessor which is programmed to:

receive the message sent from the first communication device destined for the second communication device,

assign a unique identifier to the message,

record the message and unique identifier to a record in the database,

forward the message to the second communication device  
connected to the second network, wherein the origination address  
of the forwarded message is derived from the unique identifier;

receive a reply to the message from the mobile device;  
correlate the reply to the sent message by means of the  
unique identifier;

record the correlated reply in the database record storing  
the sent message; and

allow a user of either of the first or second communication devices to log in to the gateway to retrieve the database record to access and view each of the message and the reply recorded in the database.

**11. (previously presented)** The system of claim 10, wherein the first network is the Internet and the second network is the short message service (SMS) network.

**12. (previously presented)** The system of claim 10, wherein the first communication device is a personal computer and the second communication device is a mobile device.

**13. (currently amended)** The system of claim 10, wherein the first communication device communicates with the gateway via the Internet using a web browser, ~~the gateway further being programmed to allow a user of either the first or second communication devices to access and view a reply message recorded in the database.~~

**14. (canceled)**

**15. (previously presented)** The system of claim 10, wherein the second network is a short message service (SMS) network and the gateway is connected to a short message service center (SMSC).